



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/079,860

02/22/2002

Kenji Ishikawa

60188-154

7538

7590

12/13/2006

Jack Q. Lever, Jr.  
McDERMOTT, WILL & EMERY  
600 Thirteenth Street, N.W.  
Washington, DC 20005-3096

EXAMINER

TOPGYAL, GELEK W

ART UNIT

PAPER NUMBER

2621

DATE MAILED: 12/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



## DETAILED ACTION

### *Response to Arguments*

1. Applicant's arguments filed 9/29/2006 have been fully considered but they are not persuasive.

In re page 7, with regard to Independent claims 1, 9 and 12, the applicants argue that Kanade et al. does not teach the feature for "synchronized data for time synchronization which includes a synchronization pattern for establishing frame synchronization". To support the Applicants' opinion, the Applicants' discuss the specification rather than what is written in the claim.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., "synchronization data may include a preamble signal Pa" and "where the preamble signal..... that of the parent device") are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Furthermore, as recited in Kanade et al. and to further clarify the position of the examiner, a genlock signal is used to synchronize the multiple slave cameras to take video at the exact same time. In col. 6, lines 29-33 specifically cites "**each camera system 14, 18 may be synchronized a common genlock signal .....resulting in video frames taken at the same time instant**". Furthermore, since the videos from the multiple cameras are synchronized, and as discussed above, "frame synchronization"

as claimed is clearly taught. Furthermore, the applicants disclose themselves that the genlock signal has its own pattern; therefore, the newly added limitations to Independent claims 1, 9 and 12 are clearly taught by Kanade et al.

2. Applicant's arguments, see pages 8-10, filed 9/29/2006, with respect to claim 8 have been fully considered and are persuasive. The rejection of claim 8 has been withdrawn. Similarly, the objection of claim 5 has also been withdrawn.

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

2. **Claims 1, 3-4, 9 and 12** are rejected under 35 U.S.C. 102(e) as being anticipated by Kanade et al. (US 7,027,083).

**Regarding claim 1**, Kanade et al. discloses a recording system comprising a plurality of video camera devices (Fig. 2, elements 14, 16), wherein said plurality of video camera devices include:

a parent device having a signal sending/receiving function and a control function for said recording system (See Fig. 2, and col. 4, lines 28-47 teaches of a master control unit 24 of the master camera system 14 being capable of communicating via a network 28 to send and receive functions);

and at least one child device having a signal sending/receiving function (See Fig. 2, element 16 which shows numerous slave camera systems),

said parent device sends synchronization data for time synchronization which includes a synchronization pattern for establishing frame synchronization (Col. 6, lines 5-33, teaches that the cameras are synchronized by a genlock signal),

and said child device receives said synchronization data sent from said parent device and performs a shooting operation in time synchronization with said parent device in accordance with said synchronization data (Col. 6, lines 5-33, teaches that the cameras are synchronized by a genlock signal, when the master camera system 14 trigger is pressed, the genlock signal causes all the shutters on the slave cameras 16 to fire at the same time).

**Regarding claim 3**, Kanade et al. discloses the claimed wherein said parent device sends, as control information, an operation parameter for defining operation specification of said child device, and said child device receives said operation parameter sent from said parent device and performs the shooting operation with said

operation specification thereof set in accordance with said operation parameter (Col. 4, line 48 – col. 5, line 42 teaches that operation parameters in the form of Pan, Tilt, Zoom and Focus are encoded by the master control unit 24, and are sent to the slave camera systems 16 to control the Pan, Tilt, Zoom and Focus operation parameters of the slave cameras).

**Claim 4** is rejected for the same reasons as disclosed in claim 3 above.

**Claim 9** is rejected for the same reasons as discussed in claim 1 above.

**Method claim 12** is rejected for the same reasons as discussed in system claim 1, above.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. **Claims 2 and 10** are rejected under 35 U.S.C. 103(a) as being unpatentable over Kanade et al. (US 7,027,083) in view of Zhang et al. (6, 864,911).

**Regarding claim 2**, Kanade et al. discloses all the limitations as discussed in claim 1 above, but fails to disclose wherein said parent device has a function to store video received from said child device as well as video data taken by said parent device.

In an analogous art, Zhang et al. discloses a linkable camera system wherein after video data is taken in a linked camera system, the slave camera transfers the video data taken by the slave camera to the master camera, and as a result the master

camera stores both the video data from the master and the slave camera (See col. 10, lines 8-16).

Kanade et al. in col. 5, line 54 – col. 6, line 29 discloses a need for a video reviewer to put together a sequence of videos captured from the plurality of cameras in the system.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the ability for a parent device to receive and store the video data sent from a child device into the system of Kanade et al. to allow a user with the capability to access all the video data captured by the plurality of camera devices at a determined location to facilitate a user (an editor) to use the multiple video data for faster and improved sequencing or editing of video data. The limitation negates the inefficient and lengthy period for video production of having to wait for tapes from multiple cameras to put together a sequenced video program.

**Claim 10** is rejected for the same reasons as discussed in claims 1 and 2, above.

5. **Claim 6** is rejected under 35 U.S.C. 103(a) as being unpatentable over Kanade et al. (US 7,027,083) in view of Takashi (JP 2000-102073).

**Regarding claim 6**, Kanade et al. teaches all the limitations as discussed in claim 1, above, but fails to particularly teach wherein said child device includes: a signal intensity detecting unit for detecting intensity of a receive signal and outputting an identification signal corresponding to whether or not the intensity of the receive signal is lowered; and a memory unit for receiving said identification signal and, when said

identification signal corresponds to lowering of the intensity of the receive signal, for temporarily storing video data to be sent, and when the intensity of the receive signal is restored, said video data stored in said memory unit is sent.

In analogous art, Takashi teaches a system wherein an operating system 10 controls a system wherein when a radio link with between stations becomes weak; the outgoing data is stored in memory unit 20b (Abstract and paragraph 25). The memory unit 20b then subsequently sends the outgoing data to another memory unit 20a when the capacity becomes low (Abstract and paragraph 26). Then when the radio link is strong enough for transmission, the system starts to transmit the outgoing data from the buffers 20b and 20a (Abstract and paragraph 29-30).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the ability to detect the signal intensity of the radio link and to temporarily store the data until the signal strength gets stronger as taught by Takashi into the system of Kanade et al. so that important transmitted data is not lost due to poor signal quality or failing radio links.

Takashi expresses the need to detect the strength of the radio link and to buffer outgoing data so that data is not lost and abandoned in paragraphs 4-10.

***Allowable Subject Matter***

3. **Claim 5** is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
4. **Claim 8** is allowed.

5. The following is an examiner's statement of reasons for allowance: Independent claim 8 identifies the uniquely distinct feature for "wherein when said operation specification of said child device is to be changed, said child device sends a change demand signal corresponding to a content of change as said control information, and said parent device receives said change demand signal sent from said child device, determines whether or not the content of change corresponding to said change demand signal is permitted, and when the change is permitted, sends a change permission signal and an operation parameter for defining operation specification to be employed by said child device after the change." The closest prior art, Kanade et al. (US 7,027,083), Zhang et al. (6, 864,911), Cooper et al. (US 5,995,140), Steinberg et al. (US 6,006,039), Zwahlen et al. (US 5,854,654) and Takashi (JP 2000-102073) disclose systems and devices for synchronizing multiple slave/child camera devices with parent devices, either singularly or in combination, fail to anticipate or render the above underlined limitations obvious.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### ***Conclusion***

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gelek Topgyal whose telephone number is 571-272-8891. The examiner can normally be reached on 8:30am -5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thai Tran can be reached on 571-272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GT  
12/5/2006



THAI Q. TRAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600